MONITORING PROTOCOL FOR LOWER COLORADO RIVER BAT SPECIES

Funding provided by Bureau of Reclamation Bureau of Land Management





GOALS

- To provide a better understanding of the past verses current bat assemblage along the Lower Colorado River
- To establish a long-term monitoring protocol for bats utilizing current technology
- To identify potential species-specific threats to bats
- To assist in the protection of critical roosts

Bats versus Birds

- Fly
- Neotropical Migrants
- Residents
- Different survey techniques for different species
- Preybase Important
- Communication signals
 distinctive
- Distinctive echolocation signals that can be archived
- Foraging areas can be up to 50km from roosts
- Population numbers and trends
 possible from colonial roosts
- Historic and recent guano can be used for bat species ID, prey and contaminant analysis

- Fly
- Neotropical Migrants
- Residents
- Different survey techniques for different species
- Preybase Important
- Communication signals
 distinctive
- Usually nest near foraging habitat
- Usually easier to observe
- Have more political power/more funding

Previous Zoom Print... Se

... <u>S</u>etup... <u>M</u>argins Page Break Pre<u>v</u>iew

⊆lose

Help

Bats Detected Along the Lower Colorado River 2001 - 2002

| | | | | Evidence of | | LCR | Relative | |
|-----------------------------|---------------------------------------|--------------|-----------|--------------|-------------------|-------------|----------------|---|
| Common name | Scientific name | Abbreviation | ID Method | Reproduction | Month | Region | Abundance | |
| | | | | | • | | | |
| American leaf-nosed bats | Phyllostomatidae | | | | | | | |
| California leaf-nosed bat | Macrotis californicus | Maca | A, R, M | Y | All | All but 3 | Μ | |
| | | | | | | | | |
| Plain-nosed bat family | Vespertilionidae | | | | | | | |
| Western pipistrelle | Pipistrellus hesperus | Pihe | A, M | Y | All | All | Н | |
| Yuma myotis | Myotis y umanensis | Myyu | A, R, M | Y | All | All | H | |
| California myotis | Myotis californicus | Myca | A, M | Y | All | All | H | |
| Big brown bat | Eptesicus fuscus | Epfu | A, R, M | Y | All but Ja | All but 3 | M | |
| Pallid bat | Antrozous pallidus | Anpa | A, R, M | Y | All but S | All | M | |
| Cave myotis | Myotis veliler | Myve | A, R, M | Y | M,Ju,A,O | All but 3,9 | M | |
| Redbat | Lasiurus blossevilli | Labl | A, M | | Ja,M,Ju,Jy,Au,O | 2,4,8 | L | |
| Yellowbat | Lasiurus xanthinus | Laxa | A | | M,Ju,A | 4,7,8 | L | |
| Hoary bat | La siurus cinereus | Laci | A | | F,M | 4,8 | L | |
| Townsend's big eared bat | Corynorhinus townsendii | Coto | R,M | Y | M | 4,6 | L | |
| | | | | | | | | |
| Free-tailed bat family | Molossidae | | | | | | | |
| Mexican free-tailed bat | Tadarida brasiliensis | Tabr | A, R, M | ? | All | All | H | |
| Pocketed free-tailed bat | Nyctinomops femorosaccus | Nyfe | A | | All but S | Al | M | |
| Western mastiff bat | Eumops perotis | Eupe | A | | M,Ju,A,O | All but 9 | M | |
| Big free-tailed bat | Nyctinomops macrotis | Nyma | A | | Μ _I O | 1,7,8 | L | |
| | | | | | | | | |
| | Keys | | | | Month | A | coustic minute | s |
| | | | | | All = Every visit | | H = > 2500 | |
| Evidence of Reproduction | ID Method | | | | Ja = January | | M = 100-2500 | |
| Y = yes | A = acoustic | | | | F = February | | L=<100 | |
| ie : pregnant or lactating | ie: audible call or computer file | | • | | M = May | | | |
| females or juveniles caught | M = caught in mist net | | • | | Ju = June | | | |
| | R = roost found | | • | • | Jy = July | | | |
| | ie: guano, hand net, outflight | | | | A = August | | ••• | |
| | · · · · · · · · · · · · · · · · · · · | | | | S = September | | •• | |
| | | | •••••• | | O = October | | | |

Red bat with twins



Red Bat Capture Site



Bill Williams National Wildlife Refuge

January 28, 2002



30

Red Bat Foraging Habitat Bill Williams River





Yellow bat in palm tree



Cienega Springs



Yellow bat in Cottonwood tree

Hoary bat





Hoary bat in Palo verde tree



Rownsend's big-eared bat

Corynorhinus townsendii



Alice Mine, Riverside Mountains



Townsend's Big-eared Bat



Historically large colonies in abandoned mines along the Colorado River

Foraged in cottonwood riparian

Marked declines attributable to loss of cottonwood riparian and roost disturbance

Macrous californicus Californic Learnosed bat



Winter Roost

Banded Macrotus released





23 4:02 PM

Tree Lizard Chewed by Macrotus

Cibola NWR Bridge

2 11:26 AM

6



Arizona myotis

Myatis Co





Myotis occultus were "shot over water in a back eddy of the river. Here the bats arrived in considerable numbers at early dusk to drink, flitting down to the water's surface and dipping several times before flying off among the willows and cottonwoods" (Grinnell, 1914).





Yuma Myotis Foraging Habitat

MONITORING PROTOCOL

- Roost surveys (mines, bridges, buildings)
- Mist-netting and harp trap near roosts and in foraging areas
- Acoustic surveys (remote Anabat)

Species Preferred Monitoring Methods

| Species | Acoustic | Roost |
|---------------|----------|-------|
| Red bat | yes | no |
| Yellow bat | yes | no |
| Hoary bat | yes | no |
| Townsend's | no | yes |
| CA leaf-nosed | no | yes |
| Cave myotis | yes | yes |

Mine Monitoring Sites



Mine Selection Criteria

- Historic roosts
- LCR MSCP Species
- Maternity colonies
- Large colonies
- Accessible
- Protected by gates or location
- Different areas along the LCR

LCR Mine Monitoring

| Site | Ownership | State/County | Bat Species | survey times | Exit Counts | Gate |
|---------------------------|---------------------------|-------------------|------------------------------|-----------------|---------------------------|------------|
| Homestake Shafts | LMNRA | NV/Clark | Maca, Myve | Ja/F and Ap/May | Ja/F=~250; Ap/My=~75 | scheduled |
| Jackpot | HNWR | AZ/Mojave | Maca, Myve | Ja/F and Ap/May | Ja/F=~100; Ap/My=~50 | no |
| Gold Dome | HNWR | AZ/Mojave | Maca, Myve, Myyu | Ja/F and Ap/May | Ja/F=~800; Ap/My=~1,000 | no |
| Islander | Lake Havasu BLM | CA/San Bernardino | Maca, Myyu, Tabr | Ja/F and Ap/May | Ja/F=~30*; Ap/My=~5,500 | some |
| Californian | Lake Havasu BLM | CA/San Bernardino | Maca, Myve | Ja/F and Ap/May | Ja/F=~500; Ap/My=~4,500 | no |
| Mountaineer | Palm Springs BLM | CA/Riverside | Maca, Coto, Myve, Epfu, Anpa | Ja/F and Ap/May | Ja/F=~700; Ap/My=capture | scheduled? |
| Stonehouse (Hodge) | Palm Springs BLM | CA/Riverside | Maca, Myve | Ja/F and Ap/May | Ja/F=~4,000; Ap/My=~2,000 | yes |
| Hart | Yuma BLM | AZ/La Paz | Maca | Ja/F and Ap/May | Ja/F=~2,000; Ap/My=~500 | scheduled |
| Eureka | INWR | AZ/Yuma | Маса, Мууи | Ap/May | ~3,000 | yes |
| Golden Dream 1 | INWR | CA/Imperial | Мууи | Ap/May | ~1,000 | no |
| Golden Dream 4 | INWR | CA/Imperial | Maca | Ap/May | ~400 | no |
| 3C | El Centro/Yuma BLM | CA/Imperial | Маса, Мууи | Ja/F and Ap/May | Ja/F=~2,000; Ap/My=~3,000 | yes |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Key | | | | | | |
| California leaf-nosed bat | Macrotus californicus (M | aca) | | | | |
| Cave myotis | Myotis velifer (Myve) | | | | | |
| Yuma myotis | Myotis yumanensis (My | yu) | | | | |
| Townsend's big-eared | Corynorhinus townsendi | i (Coto) | | | | |
| Pallid bat | Antrozous pallidus (Anp | a) | | | | |
| Big brown bat | Eptesicus fuscus (Epfu) | | | | | |
| Mexican free-tailed bat | Tadarida brasiliensis (Ta | abr) | | | | |



External Mine Surveys



Pat in Californian Mine 1975





Moon Phase Effect January 2003



Exit Count

Moon

No Moon

3 C Queen American Boy 1515 26 12 2491 144 172

Stonehouse Mine, Two Gated Adits





Upper Stonehouse Outflight



Jackpot Mine External

2

A

Echolocation





Acoustic Monitoring

Acoustic Monitoring Site Selection Criteria

- Secure site
- Relatively easy access
- Different habitats in same general area
- Control sites
- Revegetation sites
- Different regions along the LCR



Anabat Monitoring **Sites**

Laughlin

NWR

BLM Monkeyhead





BOR Reveg Near Cibola



| -200 | |
|---------------------------------------|---|
| -180- | |
| -160- | |
| -140- | |
| L_{120} | |
| | Western pipistrelle |
| -100- | |
| | |
| - 80- | |
| F 70- | · · · · · · · · · · · · · · · · · · · |
| - 60- | |
| | |
| F 30- | |
| L 40- | |
| - 35- | |
| | |
| F 30- | The second se |
| - 25- | |
| | |
| - 20- | |
| - 18- | |
| - 16- | |
| - 14- | |
| - 12- | |
| | |
| | Contraction of the second s |
| $\begin{bmatrix} 3\\ 0 \end{bmatrix}$ | |
| | |
| F /- | |
| - 6- | |
| L 5. | |
| | 1 2 3 4 5 6 7 8 9 a b c d e f |
| Ţape | : Computer Date: 5/10/02 Loc: Quail Hollow, Parker Strip |
| Ňote | ; wind 5-10 kts, no moon, temp in 80's |
| 34:1 C510 | э.612 114:09.521 430 ft мs1 1957.50# Div 16 Туре 131 2002/05/10 1957:50 |
| TOT | 150ms TK 10ms f7 COMP St 0 FILT 5 |



| | ******** |
|---|--|
| | |
| -180 | |
| -160 | |
| | and the second sec |
| 1.0 | |
| -120 | |
| 100 | |
| | |
| Πυαι γ Βαι | |
| - 80 | |
| - 70 | |
| - 60 | |
| | |
| - 50 | |
| | |
| - 40 | |
| - 35 | |
| | |
| | |
| - 25 | ; \ |
| | |
| | |
| | |
| - 16 | |
| 10 | |
| | |
| - 12 | |
| 40 | |
| | |
| | |
| | |
| - 7 | · · · · · · · · · · · · · · · · · · · |
| 6 | |
| | |
| ⊢ 5 ₁ | |
| $r = \frac{0}{2}$, $r = \frac{1}{2}$, $r = \frac{2}{2}$, $r = \frac{4}{2}$, $r = \frac{5}{2}$, $r = \frac{6}{2}$, $r = \frac{7}{2}$, $r = \frac{8}{2}$ | 9 a b c d e f |
| rape, computer vate: 3/09/02 - Loc: BIII W1. Sp: Laci | Spec: |
| Note: wind calm, no moon, temp 70 | |
| 34:16.089 114:02.708 000 ft MSI C5092119.52# Div 16 Tune 131 2002/05 | 5/09 2119:52 |
| ĨŎĨ ĨŜÔms ĨK 10ms Ĩ? COMP Šť 684 FILT 5 | r er mær ive |
| ANALUUK Version 4.9t 23 Jun 2002 | |



| California Leaf-nosed Bat | |
|--|--|
| | |
| | |
| | |
| ۰ ۱ | |
| | |
| | T. AMARIAN |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | A Company of the second s |
| | A A A A A A A A A A A A A A A A A A A |
| | |
| | |
| 2: Computer Date: 7/5/01 Loc: Go Maca | 7 8 9 a b c d e olden Dream Macrotus North adit Spec: Macrotus calife |

| 2001 | |
|---|-------------------------------------|
| | |
| 40 | |
| 20 | |
| .20 | |
| .00 | |
| California Leaf-nosed Bat | |
| Communication Calls | |
| <0 | |
| 80 | |
| 50 | |
| 40 | |
| 35 | |
| | |
| °° / | |
| 25 | |
| 20 | |
| 18 | |
| 16 | The Martines la la |
| 14 | |
| 12 | |
| 10 | |
| 9 | |
| 8 | |
| 7 | |
| 6 | |
| 5, , , , , , | |
| -2° -2° -3° -3° | |
| pe, computer vate: //J/UL L : Maca : | Spec: Macrotus califor |
| te: Hot, humid, overcast hight 101,826,114:33,609,350 ft msl | ε with full moon |
| U52126.15# Div 16 Type 1 T 150mc TK 10mc f7 Beal St 332 | 131 2001/07/05 2126:15 ?9 FILT 5 |



Table 4 Minutes of Acoustic Detection

| Date | ide n'iffer | Region | Start | Stop | Anpa | Coto | Eptu | Bip e | Labl | Laol | Laza | Maoa | M yo a | My ve | Myyu | Hyte | Nyma | Pihe | Tabr | 8.5 | Totals |
|----------|--------------------------|--------|-------|--------|------|------|------|-------|-------|------|------|------|--------|--------|------|------|------|------|------|-------|--------|
| 10/15/01 | RVCNWR | 7 | 1833 | 1851 | | 9 | | | | | | 1 | | | 9 | | | 16 | 2 | | 27 |
| 10/16/01 | 3 slashes C NWR | 7 | 1736 | 18 10 | | | | | 8.8 | | | | | | 2 | 1 | | 25 | 1 | | 29 |
| 10/16/01 | ECOTCNWR. | 7 | 1832 | 39 | 1 | | | 2 | 8 8 | | | 6 | 29 | | 29 | 1 | 1 | 10 | 2 | | 81 |
| 10/16/01 | RVCNWR | 7 | 240 | 508 | | | 00 | 2 | 8 8 | | | - 12 | | | 1 | 1 | | | | | 4 |
| 02/01/02 | RVCNWR | 7 | 1829 | 1907 | | | | | | | | 19 | | | | 2 | | | | | 2 |
| 05/15/02 | RVCNWR | 7 | 2332 | 351 | 9 | | | | 1.1 | | | | 1 | | 1 | | | | 3 | | 1+ |
| 05/16/02 | ISBR CNWR | 7 | 1920 | 2311 | + | | 2 | | 0.02 | | | 122 | 14 | | 9 | 11 | | 18 | 64 | | 244 |
| 05/16/02 | RVCNWR | 7 | 1935 | +39 | 13 | | t | - | | | 1 | | 7 | 1 | 11 | 7 | | 60 | 19 | | 120 |
| 05/03/01 | RV INWR | 8 | 2016 | 510 | 2 | | 2 | | 8 8 | | | 27 | 43 | | 39 | 3 | | 50 | 34 | | 200 |
| 05/04/01 | COTINNR | 8 | 1839 | 229 | 2 | | 7 | 1 | | | | 1 | 147 | | 69 | 5 | | 100 | | | 348 |
| 05/04/01 | RCR INWR | 8 | 2249 | 2255 | | | 3 | | 8.8 | | | | 1 | | | | | 1 | 8 | | 13 |
| 05/04/01 | RV INWR | 8 | 29 | 512 | | | + | | | | | 17 | 18 | | 12 | | | 7 | 7 | | 65 |
| 07/05/01 | Golden Dream adl I | : 8 | 2051 | 21 +5 | 10 | | 3 | | 8 8 | | | 23 | 1 | | 8 | | | 26 | 12 | | 83 |
| 07/05/01 | Golden Dream shart | 8 | 2030 | 20 40 | | | 1 | | | | 1 | 5 | 5 | | 10 | | | 8 | 5 | | 35 |
| 07/05/01 | RV INWR | 8 | 5 | 525 | | | 3 | 11 | 1.1 | | | 6 | 27 | | 13 | 1 | | 49 | 6 | 1 | 116 |
| 10/13/01 | MY INWR | 8 | 128 | 606 | | | 0.00 | 2 | 8 8 | | | 1 | | | 2 | 1 | | 1 | 60 | | 66 |
| 10/13/01 | COTINNR | 8 | 1934 | 42 | 3 | | 4 | - | | | | 2 | 39 | | 25 | 3 | 2 | 21 | 9 | | 108 |
| 10/13/01 | RG INWR | 8 | 1953 | 37 | | | | | 8.8 | | | 1 | 8 | | 16 | 2 | | 20 | 3 | | 50 |
| 10/13/01 | RV INWR | 8 | 2014 | 607 | | | | 1 | 8.4 | | | 1 | 37 | | 3 | 3 | | + | 11 | | 60 |
| 10/14/01 | Mesquile PI INWR | 8 | 1822 | 2345 | 1 | | 1 | | 1 | | | + | | 1 | 10 | 1 | | 42 | 5 | | 66 |
| 10/14/01 | RG INWR | 8 | 1825 | 2323 | 8 | 6 | 28 | | 8. 8 | | | 2 | 9 | | 25 | 5 | 1 | 80 | 10 | | 168 |
| 10/14/01 | RV INWR | 8 | 1838 | 603 | | | | 7 | 6 6 | | | 1.1 | 59 | | 17 | 1 | | 67 | + | | 155 |
| 02/15/02 | MY INWR | 8 | 1819 | 302 | | | | | 2.13 | | | 9 | 38 | | 29 | 1 | | 237 | 287 | | 601 |
| 02/15/02 | RV INWR | 8 | 17 37 | 522 | | | | | 8. 8 | | | 2 | 19 | | 5 | 2 | | ++ | 125 | | 198 |
| 02/16/02 | REGD Mine INWR | 8 | 1754 | 18 + + | | | | | | 1 | | 8 | 5 | | 11 | | | 24 | 4 | ····· | 53 |
| 02/17/02 | RV INWR | 8 | 1803 | 20.25 | | | | | 8.8 | | | - 1 | | | 1 | | | 1 | 10 | | 13 |
| 05/13/02 | COTINWR | 8 | 106 | 514 | 2 | | + | | 8.8 | | | 4 | 50 | | 38 | 23 | | 36 | 16 | | 173 |
| 05/13/02 | RG INWR | 8 | 36 | 443 | | | 2 | | 8.8 | | | 4 | 8 | | 24 | 10 | | 3 | 11 | | 62 |
| 05/13/02 | RV INWR | 8 | 2320 | 528 | 3 | | 13 | | 1 | | | 11 | 54 | | 22 | 2 | | 50 | 56 | | 212 |
| 05/14/02 | Bureka | 8 | 1947 | 2128 | | 2 | | | 8 8 | | | - 30 | | | | | | 10 | | | 10 |
| 05/14/02 | Golden Dream | 8 | 1933 | 2112 | | | | | | | | | | | 18 | | | 47 | 1 | | 70 |
| 05/14/02 | RV INWR | 8 | 1939 | 500 | + | 8 | 11 | | 6 | | | 5 | 28 | 1 | 45 | 3 | | 1++ | 76 | | 323 |
| 05/15/02 | MY INWR | 8 | 1939 | 454 | 7 | | 205 | | 0.02 | | | + | 13 | 2 | 45 | 38 | | 149 | 254 | | 727 |
| 05/18/02 | COTINWR | 8 | 1946 | 2111 | +1 | 3 | ++ | - | | | | | 2 | | | | | 84 | 3 | 1 | 17.4 |
| 05/19/02 | COTINNIR | 8 | 1948 | 248 | 10 | | 17 | | 8.8 | | 1 | - 33 | 79 | | 59 | 2 | | 61 | 3 | | 232 |
| 05/31/02 | BW INWR | 8 | 1936 | 537 | 8 | | + | 12 | 8 | | | 2 | 68 | | 121 | 10 | | 219 | 25 | | 469 |
| 05/01/02 | BW INWR | : 8 | 1932 | 5 17 | 9 | | 17 | 1 | 8 0 | | | 1 | 56 | | 240 | 26 | | 230 | 49 | | 629 |
| 05/03/02 | BW INWR | 8 | 1929 | 513 | 9 | | 1 | 1 | 8 Q | | | 18 | 307 | | 215 | 7 | | 145 | 21 | | 724 |
| 06/25/02 | Black Rock | : 8 | 1936 | 21.17 | + | - + | 2 | | | | | 2 | 19 | | 18 | | | 13 | | | 62 |
| 06/27/02 | COTINWR | 8 | 1932 | 123 | 70 | | 23 | 2 | 5 | | | 12 | 125 | 1 | 121 | 2 | | 27 4 | 5 | | 644 |
| 06/28/02 | BC wash | 8 | 2009 | 553 | 22 | | 6 | | 2 | | | 8 | 116 | area a | 295 | 1 | | 458 | 102 | 10110 | 1010 |
| 07/09/02 | Bireka | 8 | 1950 | 20.59 | | | | | ť | | | | 9 | | 57 | | | 15 | 1 | | 82 |
| 07/18/02 | BW INWR | 8 | 2002 | 535 | 16 | | 6 | | S - 3 | | | 20 | 291 | 1 | 318 | 10 | | 231 | 7 | | 900 |
| 08/12/02 | COTINWR | 8 | 2018 | 600 | 160 | | 269 | 10 | + | | 10 | 8 | 250 | 1 | 276 | 1 | | 280 | 16 | S | 1288 |
| 08/13/02 | BW INWR | 8 | 2003 | 600 | 11 | | 9 | 7 | | | 1 | 8 | 159 | | 158 | . 11 | | 189 | 25 | | 578 |
| 09/13/02 | Bureka | 8 | 1845 | 2000 | | 1 | | | | | | 3 | 9 | | 26 | | | 15 | 1 | | 54 |
| 05/04/01 | 30 Mine | 9 | 1947 | 20.29 | | | | | | | | 6 | 3 | | 36 | | | | 1 | | 46 |
| 07/04/01 | Winlemaven | 9 | 2026 | 2101 | 3 | | 5 | | | | | 10 | | | + | | | 1 | 1 | | 14 |
| 02/15/02 | 30 Mine | 9 | 1854 | 20.34 | | | | | 1.0 | | | 6 | 6 | | 13 | | | 3 | 7 | | 36 |
| | | 1 | | | | 2 | | | | | | | | | | | | | | | |
| | To tal minute s by Speci | | | 0 | 712 | 5 | 1014 | 155 | 27 | 42 | 24 | 859 | 3415 | 456 | 3578 | 456 | 7 | 5072 | 3319 | | 19163 |

Cottonwood Revegetation

5:22

Permanent Anabat Monitoring Stations





CONCLUSIONS

- Myotis occultus is probably extirpated along the Lower Colorado River
- Only four known remaining maternity colonies for Myotis velifer in mines along the LCR
- Only one known maternity colony of *Corynorhinus* townsendii in a mine along the LCR
- Myotis yumanensis has benefited by the creation of lakes and is now ubiquitous along the LCR
- Lasiurus xanthinus may have expanded their range along the LCR by the introduction of exotic palms
- Macrotus californicus populations appear to be stable in mines along the LCR

Hypothesis for the Declines

- The removal and replacement of native floodplain vegetation that supported the insect diets of these bats
- The heavy pesticide spraying in agricultural areas (conducted principally at night) that would directly reduce the preybase and indirectly poison the bats
- The disturbance of roosts by the increased resident and recreational human population along the Colorado River

Field assistance and/or logistical support

Angela Gatto, Christine and Greg Bates (Lake Havasu BLM); Dr. Kathleen Blair and Dick Gilbert (Bill Williams River NWR); John Earle, Greg Wolf, Jack Allen and Aimee Haskew (Havasu NWR); Brenda Zaun, Geary Hund, and Tom Alexander (Cibola NWR); Guy Wagner, Ken Edwards, Juliette Gutierrez, Jackie and Jim Ferrier (Imperial NWR); Kirke King (Phoenix FWS); Lin Piest, Beatriz Vizcarra and Katy Hinman (AGFD); Nancy Andrews and Betsy Bolster (CDFG); Bryan Moore and Tom Cullen (Lake Mead NRA); Joe Kahl, Theresa Olson and Allen Calvert (Bureau of Reclamation); Susanna Henry and Lindsay Smythe (Kofa NWR);); Morgan Ruelle and Jason Tinant (Ridgecrest BLM); Grant Harter (Needles BLM).



